interstuhl

Technical data sheet 32V2

Specification Swivel armchair high, seat and back upholstered

Dimensions in mm	Dealmaat	11.	770
Dimensions in min	Backrest:	H:	770
	Seat:	H:	420-520
		W:	500
		D:	520
	Total:		
		H:	1400
		W (no ArmR):	545
		W (ArmR):	600
		D:	650
Packaging data	Weight:	kg	21
Fackaging data	0	0	
	Volume:	m³	0,65



Basic equipment Benefit Backrest Back high, upholstered, 30 mm foam. Integrated Great seating comfort due to the ergonomically designed headrest. backrest. Upholsterv Seat upholstered. Breath actively moulding Paddings are unglued, ensuring optimal air movement, foam, CFC - CHC - free (segregated foam). breathable. Seat 35 mm foam + 10 mm cotton. Mechanism Smart Motion Technology, lockable in 4 The perfectly kinematic movement of the Smart Motion positions. Opening angle between seat and back Technology encourages the user to change seating up to 110°. position frequently; in addition, the active seat inclination supports an ergonomic position especially when working at the desk. Seat height adjustment Even people outside the DIN range (i.e. taller than Seat height adjustment infinitely variable from 400 - 525 mm. Self-supporting safety gas spring. 192cm and smaller than 151cm) will sit in the most ergonomic way. Seat depth adjustment Sliding seat for individual seat depth adjustment. The real support area for the thighs of taller people will Can be adjusted by 70 mm. be enlarged. Seat inclination Flexible adaption to users movements forward The inclination prevents the pelvis from tilting to the reat, +2° and backward -5°, lockable. ensures the right position of the spinal column. Weight Adjustment From 45 - 130kg, adjustable per ratchet element Individual adjustment of the backrest and the back in 10 levels. pressure to the weight and height of the user. The chair does not roll away in an off-loaded situation. Castors Hard castors, load- dependent braked, for soft floors (according to DIN EN 12529). Aluminium base, black. Very high stability, long service life. Base Materials All materials can be separated and are Environmentally friendly. recyclable. Standards EN 1335 for office swivel chairs and office swivel High quality product and great comfort. armchairs. GS-symbol for having tested safety, tested for contaminants and ergonomics.

interstuhl

Technical data sheet 32V2

Specification Swivel armchair high,seat and back upholstered

Dimensions in mm	Backrest:	H:	770
	Seat:	H:	420-520
		W:	500
		D:	520
	Total:		
		H:	1400
		W (no ArmR):	545
		W (ArmR):	600
		D:	650
Packaging data	Weight:	kg	21
i donuging data		0	0,65
	Volume:	m³	0,00



Certification	Quality Management System DIN EN ISO 9001:2015, Regulation (EC) no. 1221/2009 (EMAS), Environmental Management System DIN EN ISO 14001:2015, Occupational Health and Safety Management System DIN EN ISO 45001:2018, Energy Management System DIN EN ISO 50001:2018, EcoVadis Gold, Commitment to sustainability, Quality Office, Blue Angel, Bifma e3 level Platin.	High quality product.
Warranty	10 year warranty according to our current warranty conditions.	Quality guaranteed to last for entire product life.

interstuhl

Technical data sheet 32V2

Specification Swivel armchair high, seat and back upholstered

Discourse in any			
Dimensions in mm	Backrest:	H:	770
	Seat:	H:	420-520
		W:	500
		D:	520
	Total:		4 4 0 0
		H:	1400
		W (no ArmR):	545
		W (ArmR):	600
		D:	650
Packaging data	Weight:	kg	21
	Volume:	m ³	0,65



	Benefit
Soft castors, load-dependent braked, for hard floors (acc. to DIN EN 12529) or glides (soft/hard).	The chair does not roll away in an off-loaded situation.
Aluminium base, polished.	Very high stability, longevity.
Depth- (26 mm) and height adjustable (64 mm).	The lumbar support is depth adjustable and can be adapted to the corporal conditions of the user. In that way an individual support in the lumbar area is possible.
Aluminium ring arm rests with or witouth leather pads, black or polished. 3D T-arm rests, adj. in height (100 mm) & width (450 - 520 mm), depth (60 mm), soft.	The armrests relieve the neck and shoulder muscles.
Several fabric collections and leather are available in different colours.	During the design of the chair several colours and upholstery materials are available.
Coat hanger, polypropylene black.	
	floors (acc. to DIN EN 12529) or glides (soft/hard). Aluminium base, polished. Depth- (26 mm) and height adjustable (64 mm). Aluminium ring arm rests with or witouth leather pads, black or polished. 3D T-arm rests, adj. in height (100 mm) & width (450 - 520 mm), depth (60 mm), soft. Several fabric collections and leather are available in different colours.