

**Technical data sheet V122H**

Specification Four legged with seat+back upholst. , wooden shell

Dimensions in mm	Backrest:	H:	420	
		Seat:	H: 450	
	Total:	W:	445	
		D:	415	
		H:	825	
	Packaging data	Weight:	kg	8,7
Volume:			m³	0,40



**Basic equipment**

**Benefit**

Seat and Backrest	Seat and backrest shell in ergonomically-formed wood, backrest height 380 mm.	
Upholstery	Seat and backrest upholstered.	Great seating comfort.
Frame	Chrome-plated frame with elliptically-shaped steel tube 30 x 15 x 2mm. Technically patented.	Very high stability, longevity. High-quality look.
Stackability	Stacking height of the vertical stacking: 10 chairs.	Space-saving storage.
Wooden parts	Stained beech. 9-layer bonded plywood.	
Glides	Glides	Optimum stability
Writing tablet	Beech writing tablet on right. Also available in oak or American walnut wood colours.	Convenient for placing work documents. By folding in the writing tablet, the chairs can still be stacked or linked together.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Materials	DIN EN 16139 four leg and cantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Certification	Qualitätsmanagementsystem DIN EN ISO 9001:2008, VO (EG) Nr. 1221/2009 (EMAS), Umweltmanagementsystem DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Blue Angel.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.

**Technical data sheet V122H**

Specification Four legged with seat+back upholst. , wooden shell

Dimensions in mm	Backrest:	H:	420
		Seat:	H: 450
	Total:	W:	445
		D:	415
		H:	825
	Packaging data	Weight:	kg
Volume:			m³ 0,40
W (ArmR):		540	
		D:	665



**Options**

**Benefit**

Wooden parts

Oak, American walnut.

Optical design.

Glides

Felt glides for hard floors, black.

Optimum stability of the chair. Protection of the floor.

Armrests/Accessories

Armrests with plastic pad, row connector, panic bolt.

Optimal function extension depending on individual usage.